

PLG 3000 Aerosol Generator



Aerosol generator for the atomization of aerosols under positive pressure values of up to 7 bar

Description

The **PLG 3000** is used for fractional separation efficiency measurement and for loading with oil aerosols as per ISO 12500-1. The oil quantity is able to be adjusted using the dispensing volume flow between approx. 0.2 – 12 g/h.

The PLG 3000 aerosol generator is designed to be pressure-resistant up to 7 bar positive pressure (higher pressure values upon request).

Startup

The liquid to be dispersed is simply filled in the reservoir. The nozzle system developed by Palas® is immersed in the liquid. This nozzle system is based on the Laskin principle and guarantees extremely precise dosing constancy with uniform particle size. The mass flow is adjusted using the volume flow through the nozzle. The volume flow via the special Laskin nozzle is continuously controlled using a mass flow controller.

PLG 3000 Aerosol Generator



Benefits

- Mass flow of 0.2 – 12 g/h conforms to the requirement as per ISO 12500-1
- Very exact volume flow control with use of mass flow controller

PLG 3000 Aerosol Generator



Datasheet

<i>Parameter</i>	<i>Description</i>
Volume flow	10 – 35 NI/min
Dimensions	300 • 160 • 100 mm (H • W • D)
Weight	Approx. 4 kg
Mass flow (particles)	0.2 – 12 g/h
Aerosol outlet connection	Ø _{inside} = 26 mm, Ø _{outside} = 29 mm
Special features	Pressure-resistant up to 10 bar (overpressure)
Mean particle diameter (number)	0.4 µm (DEHS)
Filling quantity	Approx. 500 ml

PLG 3000 Aerosol Generator



Applications

- Testing compressed air filters
- Measuring the fractional separation efficiency of compressed air filters

Palas GmbH
Partikel- und Lasermesstechnik
Greschbachstrasse 3 b
76229 Karlsruhe
Germany

Managing Partner:
Dr.-Ing. Maximilian Weiß, Udo Fuchslocher
Commercial Register:
register court: Mannheim
company registration number: HRB 103813
USt-Id: DE143585902



Contact: E-Mail: mail@palas.de Internet: www.palas.de Tel: +49 (0)721 96213-0 Fax: +49 (0)721 96213-33